ONE-WAY

TEV200

TEV300

TEV200

ART.	TEV0000200	WEIGHT	29 kg



TEV300

ART.	TEV0000300	WEIGHT	30 kg



BIDIRECTIONAL

TEV200BD

TEV300BD

TEV200BD

ART.	TEVBD00200	WEIGHT	85 kg



TEV300BD

ART.	TEVBD00300	WEIGHT	85 kg



SAFETY CONTACT	
MANUAL RESET	CODE: AC00000556 MODEL: CMM01 - AC15 3A 400V, DC 13 10A 24V - IP4X
AUTOMATIC RESET	CODE: AC00000551 MODEL: CMT01 - AC15 3A 400V, DC 13 10A 24V - IP4X

HORIZONTAL


Fmin.
Optional: microswitch
Optional: cover
228
205
270
75
35
12
40
25
50
55
50
48
øA
150
Optional: rope guard
778
10
72, 5
88
26
2 pesi/weights
40
41
7
5
2
40
3 pesi/weights
175

ART.	ø A	Fmin	WEIGHTS	SPEED GOVERNOR
	mm	N	n°	
TE00000820	200	223	1	ONE WAY
TE00000825	250			
TE00000830	300			
TE00000860	200	530	2	
TE00000865	250			
TE00000870	300			
TE00000840	200	777	3	BIDIRECTIONAL
TE00000845	250			
TE00000850	300			

The overall length of the horizontal tension device TAB163.1 is lower than the other models on the market.

***NOTE:**

On request the fixing plate is also available with a 15 mm slot.
For the 200 and 300 mm version possibility of cast iron pulley.

OPTIONAL

Cover	PE00000151
Rope protection	ANTE000000
Safety switch	AC00000553

Images and data contained in this catalogue may be changed without previous notice.
Latest updated material are available on our official channels or upon request.
All images shown are for representation purposes only.